



Job Information

Project Name	
Type	
Location	
Quantity	
Date	

DESCRIPTION

ORA is a decorative wall/ceiling light with a clean circular form and layered optical detailing. It delivers soft, diffused illumination from the center while creating a subtle ambient halo around the fixture. Designed to enhance modern interiors, ORA combines visual elegance with comfortable lighting.

Selectable colour temperatures of 2200K, 2700K, and 3000K allow the ambience to range from warm and intimate to clean and neutral. TRIAC dimming compatibility provides precise control over brightness levels, ensuring enhanced visual comfort across a variety of applications.

With an IP65-rated construction, ORA is suitable for both indoor and outdoor use, performing reliably in humid areas such as bathrooms as well as exterior spaces including entryways, terraces, and architectural facades. Combining refined aesthetics with versatile functionality, ORA brings visual character and inviting illumination to any space.

OVERVIEW

- True color - 90 color rendering index (CRI), produces outstanding illumination.
- Selectable colour temperatures: 2200K / 2700K / 3000K
- Indoor/outdoor applications (IP65)

PERFORMANCE

MODEL NAME	ORA
POWER CONSUMPTION(±10%)	6W
INPUT VOLTAGE	110-277 VAC , 50/60Hz
LUMINOUS FLUX	350Lm
DIMMING	TRIAC
CCT	3CCT Selectable (2200/2700/3000K)
CRI	>90
BEAM ANGLE	120°
MOUNTING OPTION	Surface Mount
TYPE	Wall/Ceiling Light
FINISH	Wet Painting
BODY COLOR	Black
GLASS/ACRYLIC SHAPE	Wave/Convex/Reseau/Luna
GLASS COLOR	Clear/Smoke Gray/Amber
RING COLOR	Black/White/Chrome/Bronze/Gold/Nickel
IP RATING	IP65
APPLICATIONS	Indoor/Outdoor
CERTIFICATIONS	cETL Listed
WARRANTY	5 Years



SPECIFICATIONS

■ OPTICS

Decorative optical elements designed to provide both visual character and comfortable illumination. Available in Wave, Convex, Reseau, and Luna patterns, with Clear, Smoke Gray, Amber glass, or acrylic options.

■ ELECTRICAL

Voltage: 120-277 VAC , 50/60Hz

■ ENVIRONMENT & CERTIFICATIONS

cETL listed for wet locations

■ WARRANTY

5 years limited warranty

■ MOUNTING

Surface mounted installation (wall and ceiling)

■ FINISH

The wet painting finish ensures a uniform appearance, offering long-term durability and superior aesthetics.

■ HOUSING MATERIAL

Plastic material housing ensures durability and efficiency.




■ LED SYSTEM

CRI With +90 color rendering index (CRI), this product delivers outstanding illumination, featuring tight chromatically specifications and a precise color binning process to ensure consistency in CRI and CCT.



CCT Available in 3CCT (2200/2700/3000K) with excellent color consistency.

PRODUCT MODELS & DIMENSIONS



WAVE




CONVEX



RESEAU



LUNA



OPTICAL FINISH OPTIONS

CLEAR



Material: Glass
Model: Convex



Material: Glass
Model: Reseau



Material: Glass
Model: Wave



Material: Acrylic
Model: Luna

SMOKE GRAY



Material: Glass
Model: Convex



Material: Glass
Model: Reseau



Material: Glass
Model: Wave



Material: Acrylic
Model: Luna

AMBER



Material: Glass
Model: Convex



Material: Glass
Model: Reseau



Material: Glass
Model: Wave



Material: Acrylic
Model: Luna

ACCESSORY



Sandy Black



Sandy White



Sandy Bronze



Chrome



Gold



Matte Nickel

Note: The fixture is suitable for indoor use as standard. For outdoor applications, the decorative ring must be added.




BODY COLOR




Black


LIGHT DISTRIBUTION




Beam Angle: 120° – Wave Model



Beam Angle: 120° – Convex Model



Beam Angle: 120° – Reseau Model



Beam Angle: 120° – Luna Model

ORA

WALL/CEILING LIGHT SPECIFICATIONS

ASSEMBLY



PRODUCT ORDERING GUIDE

EXAMPLE: ORA-W-S-BL

ORA	-W	-S	-BL
Series	Model	Glass/Acrylic Color	Accessory

SERIES	MODEL	GLASS/ACRYLIC COLOR	ACCESSORY ①
Ora	W: Wave C: Convex R: Reseau L: Luna	C: Clear S: Smoke Gray A: Amber	BL: Sandy Black Decorative Ring WH: Sandy White Decorative Ring BR: Sandy Bronze Decorative Ring CH: Chrome Decorative Ring GL: Gold Decorative Ring NI: Matte Nickle Decorative Ring

① Note: The fixture is suitable for indoor use as standard. For outdoor applications, the decorative ring must be added.

